

SDS Report Page 1 of 1 No. SHAMLP1603288001 Date: Mar. 14, 2016

Hangzhou Moonbay Industrial Co., Ltd. 12th floor Ningan mansion, North Shixin Road, Xiaoshan District, Hangzhou, China

SGS Ref. No. SHIN1602007884PC; SHIN1602007820ML

Sample Name Adjustable plastic pedestals

End Uses Support all kinds of floor tiles and decking boards

report

Composition/Ingredient of

sample (as per client

submission)

Job Receiving Date Feb 29, 2016 Last Information Date Mar 01, 2016

SDS Preparation Period Feb 29 - Mar 04, 2016

Service Requested Preparation of Safety Data Sheet (SDS) for the sample with

submitted information.

Summary As per request, the contents and formats of the SDS are prepared

in accordance with US Regulations Relating to Labor 29 CFR

See section 3 Composition/information on ingredients on the SDS

1910.1200 (g), and is provided per attached.

Remark:

This sample is likely to be classified as article and is out of scope of a SDS as set out in 29 CFR Part 1910.1200. This SDS is generated

for client's reference only.

Signed for and on behalf of

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Wei WANG, Terry Approved Signatory



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Document as 1 http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Printing date 03/04/2016 Reviewed on 03/02/2016

1 Identification

- · Product identifier
- · Trade name: Adjustable plastic pedestals
- · Recommended use of the chemical and restrictions on use
- · Application of the substance / the preparation: Support all kinds of floor tiles and decking boards
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Hangzhou Moonbay Industrial Co., Ltd.

12th floor Ningan mansion, North Shixin Road, Xiaoshan District, Hangzhou, China

Tel: +86 13732946550

Email: frank@chinamoonbay.com

- · Other US contact point: Not available
- · Further information obtainable from: Hangzhou Moonbay Industrial Co., Ltd.
- · Emergency telephone number:

Terry Zhang

Tel: +86 18312546282

Poison Center

Tel: +1 800 222 1222

- · Reference Number: SHIN1602007884PC; SHIN1602007820ML; SHAMLP1603288001
- · Remark:

This sample is likely to be classified as article and is out of scope of a SDS as set out in 29 CFR Part 1910.1200. This SDS is generated for client's reference only.

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

· Information concerning particular hazards for human and environment:

The product has not to be labeled due to the calculation procedure of OSHA Hazard Communication Standard (29 CFR 1910.1200).

· Classification system:

The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200), and extended by company and literature data.

- · Label elements
- · Labelling according to OSHA Hazard Communication Standard (29 CFR 1910.1200)
- · Hazard pictograms Not applicable.
- · Signal word Not applicable.
- · Hazard-determining components of labeling: Not applicable.
- · Hazard statements Not applicable.
- · Precautionary statements Not applicable.
- · Hazards not otherwise classified (HNOC) No further relevant information available.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Composition	ı:	
9003-07-0	polypropylene	58.5%
9002-88-4	polyethylene	38.8%
471-34-1	calcium carbonate	2.0%
14807-96-6	Talc (Mg3H2(SiO3)4)	0.6%

(Contd. on page 2)

Printing date 03/04/2016 Reviewed on 03/02/2016

Trade name: Adjustable plastic pedestals

1333-86-4 carbon black

(Contd. of page 1)

0.1%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth with water.

If symptoms persist consult doctor.

Never give anything by mouth to an unconscious person.

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Special protective equipment and precautions for firefighters
- · Protective equipment:

Wear fully protective suit.

Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Avoid formation of dust.

Keep away from ignition sources.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid contact with eyes.

- $\cdot \textit{Environmental precautions:} \ \textit{Do not allow to enter sewers/surface or ground water.}$
- · Methods and material for containment and cleaning up: Pick up mechanically.

7 Handling and storage

· Precautions for safe handling:

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Avoid contact with eyes.

For the general occupational hygienic measures refer to Section 8.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Normal measures for preventive fire protection.

(Contd. on page 3)

Printing date 03/04/2016 Reviewed on 03/02/2016

Trade name: Adjustable plastic pedestals

(Contd. of page 2)

- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from flammable substances.

Store away from oxidizing agents.

· Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

8 Exposure controls/personal protection

· Components	with	limit	values	that	roaniro	monitoring	at the	worknlace.
Components	wille	unnu	ruiucs	uuu	<i>i</i> cuuu c	monuon me	ai iiic	workbluce.

471-34-1 calcium carbonate (2.0%)

PEL (USA) Long-term value: 15* 5** mg/m³ *total dust **respirable fraction REL (USA) Long-term value: $10*5**mg/m^3$

*total dust **respirable fraction

TLV (USA) TLV withdrawn

14807-96-6 Talc (Mg3H2(SiO3)4) (0.7%)

PEL (USA) Long-term value: 20 mppcf ppm (containing <1% Quartz)

REL (USA) Long-term value: 2* mg/m³ *respirable dust; and <1% Quartz

Long-term value: 2* mg/m³

TLV (USA) *as respirable fraction; E

1333-86-4 carbon black

PEL (USA) Long-term value: 3.5 mg/m³ REL (USA) Long-term value: 3.5* mg/m³

*0.1 in presence of PAHs; See Pocket Guide Apps.A+C

TLV(USA)Long-term value: 3* mg/m³ *inhalable fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure
- · Appropriate engineering controls: See Section 7 for information about design of technical facilities.
- · Personal protective equipment
- · Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Printing date 03/04/2016 Reviewed on 03/02/2016

Trade name: Adjustable plastic pedestals

 \cdot **Eye protection:** Safety glasses

(Contd. of page 3)

Physical and chemical proper	rties	
General Information		
Appearance:		
Form:	Solid	
Color:	Black	
Odor:	Odorless	
Odor threshold:	Not available.	
pH-value:	Not available.	
Change in condition		
Melting point/Melting range:	Not available.	
Freezing point:	Not available.	
Boiling point/Boiling range:	Not available.	
Flash point:	Not available.	
Flammability (solid, gaseous):	Not available.	
Auto-Ignition temperature:	Not available.	
Decomposition temperature:	Not available.	
Explosion limits:		
Lower:	Not available.	
Upper:	Not available.	
Vapor pressure:	Not available.	
Density:	Not available.	
Relative density	Not available.	
Vapor density	Not available.	
Evaporation rate	Not available.	
Solubility in / Miscibility with		
Water:	Not available.	
Partition coefficient (n-octonol/wat	t er): Not available.	
Viscosity:		
Dynamic:	Not available.	
Kinematic:	Not available.	

10 Stability and reactivity

- · Reactivity No decomposition if used according to specifications.
- $\cdot \textit{Chemical stability Stable under recommended storage conditions}.$
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Avoid flames
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

IIςΛ

Printing date 03/04/2016 Reviewed on 03/02/2016

Trade name: Adjustable plastic pedestals

(Contd. of page 4)

11 Toxicological information

· Acute toxicity

Acute to	acciy
· LD/LC5	0 values that are relevant for classification:
9002-88	3-4 polyethylene
Oral	LD50 > 2000 mg/kg (rat)
471-34-	1 calcium carbonate
Oral	LD50 6450 mg/kg (rat)
1333-86	-4 carbon black
Oral	LD50 >8000 mg/kg (rat)

- · Primary irritant effect
- · Skin corrosion/irritation: Irritating effect possible.
- · Serious eye damage/irritation: Irritating effect possible.
- · Respiratory or skin sensitisation: Sensitization possible.
- · Additional toxicological information:

Dermal LD50 >3000 mg/kg (rabbit)

The product is not subject to classification according to internally approved calculation methods for preparations.

· Carcinogenic categories

· Carcinogen	nc categories	
· IARC (Inte	rnational Agency for Research on Cancer)	
9003-07-0	polypropylene	3
9002-88-4	polyethylene	3
14807-96-6	Talc (Mg3H2(SiO3)4)	2 <i>B</i>
· NTP (Natio	onal Toxicology Program)	
None of the	e ingredients is listed.	
· OSHA-Ca	(Occupational Safety & Health Administration)	
None of the	e ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

IIC A

Printing date 03/04/2016 Reviewed on 03/02/2016

Trade name: Adjustable plastic pedestals

(Contd. of page 5)

UN-Number DOT, IMDG, IATA	Not applicable.
N proper shipping name OT, IMDG, IATA	Not applicable.
Transport hazard class(es)	
DOT, IMDG, IATA Class	Not applicable.
Packing group DOT, IMDG, IATA	Not applicable.
Environmental hazards	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	-

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency):

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH):

14807-96-6 Talc (Mg3H2(SiO3)4)

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients is listed.

Printing date 03/04/2016 Reviewed on 03/02/2016

Trade name: Adjustable plastic pedestals

(Contd. of page 6)

16 Other information

The contents and format of this SDS are in accordance with 29 CFR 1910.1200(g).

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Remark

This sample is likely to be classified as article and is out of scope of a SDS as set out in 29 CFR Part 1910.1200. This SDS is generated for client's reference only.

· Date of preparation / last revision 03/04/2016 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

End of document

- USA